Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	721	dynamically with access with (code or id or dentifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:30
L2	4	"20060119892".pn. or "6694115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:46
L3	0	L2 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:47
L4	1	"20060119892".pn. or "6694115".pn.	USPAT	OR	ON	2007/11/10 18:47
L5	0	L1 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:47
L6	0	L2 and dynamical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:49
L8	727	dynamical\$3 with access with (code or id or dentifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:49
L9	0	static and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:51

			LIC DODLID	00		2007/44/40 40 54
L10	2	chang\$3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:51
L11	2	2 and (code or id or dentifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 18:56
L12	13	(permit\$4 or allow\$3) with (some or partially subset) with access with (fuctions of feature or setting) with (device or printer or fax or facsimile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:31
L13	96	(code or id or identification or identifier) with dynami\$5 with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:00
L14	0	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:00
L15	2	1 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:00
L16	141	(device or printer) with dynamically with access with (code or id or dentifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; 'IBM_TDB	OR	ON	2007/11/10 19:31
L17	0	13 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:31

L18	2046	(permit\$4 or allow\$3) with access with (fuctions of feature or setting) with (device or printer or fax or facsimile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:32
L19	31	16 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:42
L20	17	16.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:43
L21	2	dynamical\$3 with access with (code or id or dentifier or identification) with printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:50
L22	44	dynamical\$3 with (code or id or dentifier or identification) with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 20:05
L23	0	18 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 19:51
L24	2	"20030142332".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 20:06
L25	1	22 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 20:15

L26 1 25 and (feature or attribute or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 20:06
---	---	----	----	------------------